



Facts about the LX3000e Color Label Printer

LX3000e features an all-new tanked-ink system and printhead and provides the lowest cost per print. The printer offers the same quality features as LX910e with the addition of an user-replaceable printhead and large individual CMY ink tanks with either dye or pigment ink. It's perfect for a range of industries including health and beauty, food and beverage, chemicals and more.


Key facts

- ▶ 4800 dpi full-colour printing
- ▶ 16.7 million colours
- ▶ Separate, large ink tanks - 60 ml each & pre-primed printhead with 42 ml ink
- ▶ Built-in label cutter (pizza-wheel style)
- ▶ Wired ethernet for network connection (coming soon)



CMY ink tanks with Big Ink™

The Big Ink system uses dye or pigment inks optimised for brightness, durability and optical density. The latter is particularly high for the process black, resulting in the blackest black ever released in a CMY printer. It has many advantages for labels over the carbon black inks used by other colour label printers, such as better water resistance, compatibility with a wider range of speciality label media and higher smudge resistance.



What's in the box?

- ▶ Nice Label Free 2019 DTM Version & BarTender UltraLite (Windows)
- ▶ 4x3" DTM Paper High Gloss starter roll
- ▶ User-replaceable printhead
- ▶ A set of CMY ink tanks
- ▶ Instructions & sample book

More information

Visit dtm-print.eu for detailed information.



Ink
Separate CMY ink tanks



Print Width
13 - 210 mm (0.5 - 8.25")



Volume
Up to 10,000+ per day



Features
Pizza-wheel cutter &
Wired ethernet (coming soon)



Print Speed
Up to 114 mm/s (4.5"/s)



Compatible with
Windows
& macOS (Q4/2021)



Specification

Print Method:	Thermal inkjet; Dye & Pigment ink
Print Resolution:	Up to 1200 x 4800 dpi
Print Speeds:	Draft Mode: 4.5" (114mm) per second Normal Mode: 1.8" (46mm) per second High Quality Mode: 0.8" (20mm) per second
Print Head:	Replaceable Multi-Use Print Head
Ink:	Separate Cyan, Magenta and Yellow Ink Tanks, Process Black
Colors:	16.7 million
Color Matching:	ICC color profiles for all Primera-supplied media. Ability to add custom ICC color profiles for other media types.
Print Width:	0.5" (13mm) to 8.25" (210mm)
Media Width:	1.5" (38mm) to 8.375" (212mm)
Media Types:	Roll-fed pressure-sensitive labels, roll-fed tags, fan-fold labels or tag
Media Sensing:	Moveable see-through sensor for die-cut labels; Reflective sensor for labels and tags with black stripe; Can use continuous and pre-printed labels and tags
Supply Roll:	6" (152mm) maximum diameter on 3" (76mm) core.
Ink Level Warning:	Calculates actual number of prints remaining based upon ink usage of graphics being printed (patent-pending)
Indicator Lights:	Power, Pause, Ink
Controls:	Pause, Load/Feed, Unload
Operating Systems:	Windows 7/8/10+ (Coming Soon - MacOS 10.11+)
Data Interface:	USB 2.0 and Wired Ethernet
Label Design Software:	Seagull Scientific Bartender® UltraLite Software version included; can also be used with most other popular label design & graphics programs
Electrical Rating:	12VDC, 5.0A
Power Requirements:	100-240VAC, 50/60 Hz, 60 watts
Certifications:	UL, UL-C, CE, FCC Class A
Weight:	36.5 lbs. (16.6 kg)
Dimensions:	17.25"W x 9.1"H x 17.25"D (438mmW x 231mmH x 438mmD)
Operating Temperature:	10 °C to 35 °C
Operating Humidity:	10 % to 60 % RH (non-condensing)
Available Versions:	LX3000e with dye-based ink (074445) LX3000e with pigment ink (074446)
What's in the Box:	LX3000e Color Label Printer, a set of CMY ink tanks, a pre-primed printhead, 4x3" DTM Paper High Gloss starter roll, USB 2.0 cable, EU power cord and instructions
Warranty:	36 months (after product registration)
Manufacturer:	Primera Technology, Inc.